



## TRIPHALA – THE SANCTIFYING MEDICINE TO HUMAN DOMAIN: A REVIEW

Revathi S.\*<sup>1</sup>, Gopal V.<sup>2</sup>, Jeyabalan G.<sup>1</sup> and Dhanaraju MD.<sup>3</sup>

<sup>1</sup>Sunrise University, Alwar, Rajasthan.

<sup>2</sup>College of Pharmacy, Mother Theresa Postgraduate and Research Institute of Health Sciences, Puducherry.

<sup>3</sup>GIET School of Pharmacy, Rajahmundry, Andhra Pradesh.

Article Received on  
28 Oct. 2018,

Revised on 17 Nov. 2018,  
Accepted on 07 Dec. 2018

DOI: 10.20959/wjpps20191-12910

### \*Corresponding Author

Revathi S.

Sunrise University, Alwar,  
Rajasthan.

### ABSTRACT

The current review focuses on a well-known, oldest, natural, polyherbal, ayurvedic drug Triphala Churna, its phytochemical constituents and pharmacological & clinical benefits. Triphala is used in Indian traditional ayurvedic system of medicine. According to Ayurvedic Formulary of India, it is prepared by combining three ground myrobalans called as *Emblica officinalis Gaertn*, *Terminalia bellirica Gaertn*, and *Terminalia chebula Retz* mixed in the ratio of 1:1:1. It is found to be used worldwide on various vernacular names

and is considered as a purging medicine based on its pharmacological effects for various kinds of interventions. Primarily, it is used in the interventions of diabetes including diabetic nephropathy and diabetic retinopathy, constipation, gum diseases, hypercholesterolemia, ulcer, geriatric diseases etc. The main phytochemical constituents present in Triphala are tannic acid, gallic acid, ellagic acid, chebulinic acid, flavonoids, polyphenols etc. This recap of Triphala shows indigence for more exploration in the domain of clinical evolution.

**KEYWORDS:** Triphala, ayurveda, diabetes, gallic acid.

### INTRODUCTION

Triphala means three fruits. It is a 2000-year-old conventional ayurvedic herbal drug. It can be administered to all age groups because ingestion of Triphala is reckoned to be assuaged to human body.<sup>[1]</sup> Thence, an endeavor has been made, to sum up, the superfluous spectacular effectiveness of three fruits. Triphala is a standout amongst the most flexible ayurvedic

medication utilized as a part of India. Triphala is local to the Indian subcontinent and comprises equivalent amounts of three myrobalan fruits taken without seed, in particular, Amalaki (*Emblca officinalis Gaertn/ Phyllanthus emblica Linn*), Bibhitaki (*Terminalia bellirica Gaertn*), and Haritaki (*Terminalia chebula Retz*). It is an Ayurvedic herbal composition that has global invigorating powers and is gainful for an expansive scope of illnesses. As far back as 1500 BC, Triphala has immeasurable references in antediluvian India in Sushruta Samhita. Howbeit, surrogate vantages of this herb are much more crucial. It contains five of the six tastes perceived in Ayurveda (sweet, sour, bitter, pungent and astringent) solitarily missing the salty taste. Triphala is relegated as a “tridoshic rasayana”, implying that the energetics is relevant for body humors Vaata, Pitta, and Kapha for a wide range of patients.<sup>[2]</sup>

## CONSTITUENTS OF TRIPHALA

### 1. Amalaki or Amla

Amla, also known as Indian gooseberry, is identified botanically as *Emblca officinalis Gaertn and also Phyllanthus emblica Linn*. In Sanskrit, it is also called as Dhatri (the nurse) distinguished due to its incredible healing properties. It is consumed in various forms, from pickles and preserves to yogurt coalesced with amla fruit powder.<sup>[3]</sup> Amla is as well the most fertile natural source of vitamin C in the form of ascorbic acid containing 600 mg per 100 grams in an easily edible form. Amla is a super food made up of over 80% water and it has very less calories. It has manifested to be an efficacious herbal medicine for the intervention and hindrance of eye disease, cancer, digestive problems, and diabetes. It also functions as diuretic, liver tonic, restorative and anti-inflammatory. It also comprises of protein, fiber, phosphorous, iron, carotene and vitamin B complex and gallic acid according to the Indian Council of Medical Research.

### Botanical description

“*Emblca officinalis Gaertn* is an elegant tree typically a height of 18 m – 30 m. It disrobes in fragile flakes similar to that of guava tree and has reasonably pale greyish-brown smooth bark. It is deciduous, shedding its twigs as well as its leaves. Flowers are belittled, not salient, greenish-yellow which are gestated in covenant bunches in the angles of the lower leaves. Occasional trees are dioecious unremarkably male flowers bechance at the lower end of a growing twig with the female flowers over them. The oblong miniature leaves are only 3 mm wide and 1.25-2 cm length, coupled on very lithesome twigs which gives a deceptive notion

of exquisitely pinnate leafage. The acaulescent fruit is round or oblate, stretching from the stem to the apex, indented at the base and smooth with 6 to 8 blanch lines, occasionally sparsely apparent as ridges giving the visual aspect of being fractioned into sections or loops. The fruit is light green at first then becomes whitish or a dull, greenish-yellow. Seldom has the fruit become brick red as it matured. It is tenacious and laborious to the touch. The skin is flimsy, translucent and disciple to the very crunch, voluptuous, concolorous flesh. Small seeds are solidly engrafted in the center of the flesh. Fruits collected are in the range 5 cm in width in India. Ripe fruits are astringent, enormously acidic and few are distinctly bitter. It is frequently adverted as an evergreen tree since it is rarely solely unsheathed.<sup>[4]</sup>



**Fig. 1:** *Emblica officinalis Gaertn* tree.



**Fig. 2:** Fresh fruit of Amla.



**Fig. 3:** Dried fruit of Amla.

## 2. Haritaki or Harada

The botanical name is *Terminalia chebula Retz.* It is conceived as one of the most significant ayurvedic herbaceous plant whilst it has an astringent and unpleasant taste.<sup>[5]</sup> Harada has been used widely for many centuries in both Ayurvedic and Tibetan medicine. It is named as “king of medicine” in Tibetan medicine. Many delineations of the healing form show a handful of Haritaki. It is a potent anti-fungal, anti-bacterial as well as antiviral and also it is anti-inflammatory. It turns down the blood sugar levels and enhances insulin sensitivity. It is a best redressal for skin problems, for hair loss and dandruff. It also treats constipation, dementia & diabetes.

It is believed to have,

- A variety of positive health effects on the heart & brain.
- It decreases stomach acidity and guards against ulcers.
- It reduces the risk of developing stomach ulcer because of antioxidant property of gallic acid and ellagic acid in it.

### Botanical description

It is a deciduous tree which is medium-sized up to 25 m tall with spreading branches. Its bark is dark brown usually longitudinally alligatored with arboreous scales. Twigs are rusty-villous or hairless. Leaves are obtuse to subacute at vertex, alternate or opposite, thin, ovate or unsubdivided, rounded at the stem, pubescent underneath leafstalk up to 2 cm long, piled with two glands at the steam of the blade. Flowers are in wing shape with 5-7 cm length spindles, simple or branched about 4 mm, yellowish-white and displeasingly odorous. Fruit is yellow to orange-brown when ripe, obviate or oblong-ellipsoid drupe, 2.5-5 cm length, weakly 5-angular.<sup>[6]</sup>



Fig. 4: *Terminalia chebula* tree.



**Fig. 5: Fresh fruit of Haritaki.**



**Fig. 6: Dried fruit of Haritaki.**

### **3. Bibhitaki or Baheda**

The botanical name is *Terminalia bellirica* and it is strong laxative herbaceous plant. By nature, it is astringent, sweet and also heating. It is a restorative to “Kapha” and is believed to amend conditions of vitiated voice.<sup>[7]</sup> Baheda is a potent ancient rejuvenator with detoxifying calibers on the body muscles, blood, and tissues with fat in the body. It treats diabetes<sup>[8]</sup>, high blood pressure, & rheumatism. Bibhitaki is extremely feasible with circumstances necessitating redundant mucose tissue in the system and is also beneficial for featured bone formation.

#### **Botanical description**

It is a boastfully deciduous tree, up to 50 m magniloquent with an unbent clean trunk up to 20 m length with a diameter of 2 - 3 m, braced with prominent bark which is blueish or ash grey. It has vast delicate longitudinal cracks with inside yellowish. Flowers have long spike and are in axillary about 3 - 15 cm length, 6-7 mm across, yellowish. The young branches are gook initially obtusely sericeous. Leaves are coiffed in spirals or herded at the ends of the twigs which are generically oviform about 4 - 20 cm x 2-11 cm. The leaves are wedge-shaped at stem, rounded or obtuse at apex. The leafstalk is 2 – 5 cm long. Fruit a sub-global to broadly spheroidal with 2 - 3.5 cm length, minutely stipulated at stem, dumb and very delicately puberulent. The exocarp is firm. The endocarp is sclerenchymatous.<sup>[9]</sup>



Fig. 7: *Terminalia bellirica* Gaertn tree.



Fig. 8: Fresh fruit of Bibhitaki.



Fig. 9: Dried fruit of Bibhitaki.

Table 1: Taxonomical classification of Triphala.

Common Name	Haritaki	Bibhitaki	Amalaki
Latin Name	<i>Terminalia chebula</i> <i>Retz</i>	<i>Terminalia bellirica</i> <i>Gaertn</i>	<i>Emblica officinalis</i> <i>Gaertn</i>
English Name	Chebulic Myrobalan	Belleric Myrobalan	Emblic myrobalan
Kingdom	Plantae	Plantae	Plantae
Subkingdom	Tracheobionta	Tracheobionta	Viridiplantae
Superdivision	Spermatophyta	Spermatophyta	Spermatophyta
Division	Magnoliophyta	Magnoliophyta	Angiospermae
Class	Magnoliopsida	Magnoliopsida	Dicotyledonae
Subclass	Rosidae	Rosidae	Rosidae
Order	Myrtales	Myrtales	Geraniales
Family	Combretaceae	Combretaceae	Euphorbiaceae
Genus	<i>Terminalia</i>	<i>Terminalia</i>	<i>Emblica</i>
Species	<i>chebula</i>	<i>bellirica</i>	<i>officinalis</i>

Table 2: Organoleptic characters of Triphala.<sup>[10,11]</sup>

Common Name	Haritaki	Bibhitaki	Amalaki
Latin Name	<i>Terminalia chebula Retz</i>	<i>Terminalia bellirica Gaertn</i>	<i>Emblica officinalis Gaertm</i>
Color	Dark brown	Yellowish brown	Yellowish green
Odor	Characteristic	Aromatic	Aromatic
Consistency	Hard	Hard	Hard
Taste	Astringent & acidulous taste	Astringent	Sour
Dose	3 – 6 gm of powder	3 – 6 gm of powder	10 – 20 gm of powder/ 5 – 10 ml of juice
Part used	Fruit	Fruit	Fruit
Types	Vijaya, Rohini, Putana, Amrita, Abhaya, Jivanti, Chetaki, Kalika, Pathya, Jaya, Haimavathi*	Globular fruit, ovate & larger fruits	Banarasi, Chakaiya, Francis, wild himalayan





Fig. 10: Versatile effects of Triphala.<sup>[12]</sup>



**Fig. 11: Phytochemical constituents of Triphala.**

## Substantial Health Benefits of Triphala

### 1. Oral diseases

Because of its anti-oxidant properties, when mixed with honey it helps in healing mouth ulcers.<sup>[13]</sup> Dental plaque accumulation and gingivitis can be prevented by using 0.6% of Triphala Mouthwash which is extremely efficacious.<sup>[14]</sup> Citric acid which acts as a chelating agent is rich in Triphala facilitates in remotion of smudge layer for root canal irrigation.<sup>[15]</sup> According to the Sushruta Samhita, Triphala can be used as a gargling agent in dental diseases. 0.6% Triphala mouthwash has evidenced to have substantial anticaries activity when compared to that of chlorhexidine without owning disfavours as staining of teeth and economically low cost and there was no manifest of remineralization of tooth structure.<sup>[16]</sup> Triphala mouth rinse, when compounded with scaling and root planning, demoed a crucial decline in the plaque, gingival, and oral hygiene exponents without any manifestation of staining of teeth.

### 2. Antibacterial efficacy

Mouthwashes with 6% Triphala practiced twice a day turned down the enumeration of oral streptococci 17% at the end of 48 hrs and 44% at the end of 7 days. Triphala's action is closely linear to that of "Gold Standard" of drug chlorhexidine.<sup>[17]</sup> When assessed by disc diffusion method, Triphala extract 50% and 100% showed an average zone of inhibition of 4.8 mm and 7.9 mm.<sup>[18]</sup>



### 3. As anticancer agent

The anti-proliferative and proapoptotic effect of Triphala turns down the growth of cancer cells and human colon cancer stem cells. Specifically, when it comes to prostate cancer cells, the gallic acid in Triphala shows anticancer activity.<sup>[19]</sup> Contemplates have also depicted that Triphala is an anticipating powerful anticancer drug which spares normal cells but kills the tumor cells.<sup>[20]</sup>

Triphala wields an antineoplastic effect breast, prostate, colon, and pancreas cancer cell lines. It is also evoked that apoptosis induction may have mediated reduced tumor growth in the excised tumor tissue from Triphala-fed mice when compared with that of the controls.<sup>[2]</sup>

### 4. Laxative & colon cleanser

The studies indicates that Triphala extract is an efficacious, secure, and non-habit forming herbal laxative for dealing the constipation.<sup>[21]</sup> In excretion process, Bibhitaki drags the old mucous off the wall, amla endures intestinal revivify, and haritaki fortify the intestinal brawns to contract more expeditiously when the bowels postulate to move. Furthermore, it curbs anthraquinones that facilitate in accelerating vermiculation.<sup>[13]</sup>

Triphala was ascertained to have effective laxative property facilitating in the management of hyperacidity and also improved appetite. No contrary issues were remarked when compared to normal patients evidencing that Triphala can be used efficaciously in the intervention of constipation and other gastric troubles. To evaluate the quantity, oftenness, and consistency of feces including the variations of odor, mucous, turgidness, burping, and abdominal pain, after thorough testing, 160 patients of age between 16 – 52 years were chose for 45 days objective consideration.<sup>[22]</sup>

### 5. Weight Loss

The reports depicted that individuals of Triphala group went through substantially larger decrement in weight and in waist and hip perimeter as compared to the control group.<sup>[23]</sup> The statistical estimation executed on 15 patients who were diagnosed as obese at every interval of 15 days after acquiring Triphala recorded estimable effect in cutting down the weight.<sup>[24]</sup>

### 6. Lowers cholesterol

Triphala assists to abridge cholesterol grades and arterial plaque. Inquiry established that Bibhitaki assists to suppress atherosclerosis plaque advancement.<sup>[25]</sup> Consumption of Triphala

at 1 gm/kg body weight daily for 48 days engendered substantial step-down in cholesterol, LDL, & VLDL.<sup>[26]</sup> The substantial drop-off in total cholesterol, triglyceride, and VLDL may be on account of diminution in engrossment of cholesterol. Oral consumption of Haritaki accounted to enhance gastric emptying time might be the cause of diminished absorption. It is arrogated that Amalaki, one of the elements of Triphala has versatile biological functions such as amended digestion<sup>[18]</sup>, amended liver function and hepatoprotective.<sup>[27]</sup>

### **7. Diabetic management**

It acts as a medical blessing at various stages and in perplexed phases of diabetes mellitus.<sup>[28]</sup> Consumption of Triphala extract about 100 mg/kg body weight thinned out the blood sugar in normal & in diabetic-induced rats substantially in 4 hours.<sup>[29]</sup> Triphala powder along with honey demonstrated more beneficial effect in diabetic patients.<sup>[30]</sup>

### **8. Diabetic nephropathy**

Triphala is found to be majorly efficacious in bettering the kidney routines and decelerating the procession of diabetic nephropathy particularly with strict diet restriction and regimen when used in a total of 130 patients.<sup>[31]</sup>

### **9. Eye diseases**

Triphala also delays or forbids selenite-induced experimental cataractogenesis *in vitro* and *in vivo* perhaps due to antioxidant activity.<sup>[32]</sup> Triphala avails in conservation of tissue and elevates the reclamation of tissue and forecloses foster chronic modifications of the retinal tissue.<sup>[33]</sup> The cogitation about the efficaciousness of Triphala in the management of blepharitis has breakthrough with prognosticating consequences in the simplification of signs and indications of blepharitis.<sup>[34]</sup>

### **10. Radioprotective effects of Triphala**

Research studies have reasoned out that Triphala may aid forestall and overrule DNA impairment and mutagenesis. The prevention of DNA impairment is significant given that it is frequently an inducing upshot in carcinogenesis. Research in animal models and *in vitro* has depicted that Triphala is efficacious in forbidding mutagenesis induced by both chemical- and radiation-induced damage. In animal models, Triphala intervention reduced radiation-induced mortality by 60% in mice fed Triphala for only 7 days before whole-body gamma-irradiation.<sup>[2]</sup>

### **11. Antiaging effects of Triphala**

Triphala extract demoes substantial free radical salvaging activity on hydrogen peroxide-induced cell damage and senescence.<sup>[2]</sup> Triphala is one of the most, well-studied Ayurvedic formulations, and experiments have established it to possess free radical scavenging, immunomodulatory, antimutagenic, prevention of DNA damage, and adaptogenic activities.<sup>[35]</sup>

### **12. Increase in absorption & bioavailability of food & drugs**

Several factors, including variability in herbal source, processing, bioavailability, digestion, and absorption of herbal components cause the true efficacy of herbaceous plants on human health to be extremely varying.<sup>[2]</sup>

### **13. Anti-ulcer activity**

Triphala unequal preparations and Chinnodbhavadi kwath proved substantial antiulcer activity and this is observable from reduction of ulcer index, lipid peroxidation, and hydroxyl radical levels and consequently raised levels of catalase and superoxide dismutase. Though similar sort of activity was ascertained in Triphala equal preparations, the magnitude was much less.<sup>[36]</sup>

### **14. Against stress**

Triphala can be correlated to the prevention of cold stress-induced oxidative stress. Consumption of Triphala (1g/kg/body weight/48 days) prevents cold stress-induced oxidative stress and elevation in LPO and corticosterone levels. The antioxidant property of superoxide radical scavenging activity of Triphala employing xanthine and xanthine oxidase activity exhibited that in addition to reacting with superoxide radical.<sup>[38]</sup>

### **15. In wound healing**

Collagen sponges integrated with Triphala when practiced to heal wounds shewed enhanced thermal stability, water consumption capacity, quicker wound occlusion, & meliorated tissue reformation.<sup>[38]</sup>

### **16. In arthritis**

Triphala (1g/kg/body weight) was ingested in arthritis-induced rats and was assessed for its anti-arthritic effect against indomethacin (3mg/kg/body weight). Grades of glycoproteins, lysosomal enzymes, tissue marker enzymes, and paw thickness increased in arthritis-induced

animals.<sup>[38]</sup> Gallic acid, a major polyphenol in Triphala, has antioxidant property. Terminalia chebula, one of the components of Triphala, was shown to be a potent hyaluronidase and collagenase inhibitor that prevented degradation of cartilage.<sup>[10]</sup>

### **17. Analgesic & antipyretic**

The probable mechanism of analgesic action of Triphala could be due to the hindrance of the effect or the discharge of the endogenous content that energize pain nerve ending alike to NSAIDs. Triphala at both the dose levels of 500 mg & 1000 mg/ kg body weight produced excellent analgesic and antipyretic effect without gastric issues.<sup>[38]</sup>

### **18. Anticollagenase activity**

Triphala has impregnable repressing activity in oppose to PMN-type collagenase, particularly matrix metalloproteinase 9 at a 1500 µg/ml concentration which is comfort in between the safety limit of toxicological studies.<sup>[37]</sup>

### **19. Action in gut microbe**

Triphala-induced welfares in elderly and persons of all ages perhaps raised by co-administration of particular probiotic kinds. So, probiotic preparations comprising of bacterial species are capable of arbitrating the enhanced digestion, bioabsorption, and bioactivity of Triphala.<sup>[2]</sup>

### **20. Geriatric diseases**

Triphala owns inviolable anti-oxidant and anti-inflammatory properties which perhaps can antagonize the two most crucial causes of aging, namely inflammation and oxidative stress. Triphala can thence be reckoned as a potential device to hold up aging, as well as the onset of age-related unwellness such as Alzheimer's disease, stroke, cardiovascular disorders, osteoporosis, cancer, osteoarthritis, degenerative diseases of the eye, and peripheral arterial disease.<sup>[10]</sup>

Table 3: Vernacular names.<sup>[4, 6, 9, 38, 39, 40]</sup>

Language	<i>Emblica officinalis Gaertn</i>	<i>Terminalia bellerica Gaertn</i>	<i>Terminalia Chebula Retz</i>
Arabic	Amal, Amlaj, Ambliyy	baleeq, balilaj	Halilaj, halela kabuli, halela siah, halela zard, kabli, har siah
Assamese	Aam Lokhi, Sohmyrlain	Bhomora, Bhomra, Bhaira,	Silikha, Hilikha
Bangladesh	Aamalki	Bahera	Haritaki
Bengali	Amolki, Aonla, Ambolati	Taida, baheda	Haritaki, hartaki
Chinese	An Mole	Pi li le	He Zi
Combodia	Ngop, Karn lam, Kam lam ko	Sramar pipheek	Sa mao tchet
English	Emblica Myrobalam, Indian gooseberry	Beleric Myrobalan	Chebulik myrobalan
Filipino	Nelli	Beleric Myrobalan	Chebulic myrobalam
French	Phyllanthe Emblic	M/yrobalan belleric	Myrobalan noir
German	Amlabaum, Gebrauchlicher	belerische myrobalane	Chebulische Myrobalane, Rispiger Myrobalanenbaum
Gujarathi	Ambla	Bahedam, Baheda	Hardo
Hindi	Amla, Amlika, Aonla, Anvurab	Bahera, bahirda, banera, behara, deshi-badam, sagona, veda	Harad, Harara, harar, harara, harsh, harb
Indonesia	Kimalaka	aha; ketapang; sana	Manja lawai
Kannada	Nellaka, Nelli Kayi, dadi, dhanya	Shanti, Shantikayi, Tare, Tarekayi, aakaashamara, tenthe, thaaremara	alalai, alalaykoy, alalc-kayi, alale, alale kaayi, haraekayi, hareethaki
Kashmir	Aonla	Babelo, Balali	Halela
Malayalam	NeliKayi, Nellimaram	Tanni, Tannikai, tusham, adamarutha	Manja puteri, kadukka, kadukkai, katuikka, katukka, katukkaya, kayastha, kodakka, kodorka, putanam
Malaysian	Popok Melaka, laka	jelawai; mentalun; simar kulihap	Buah kaduka
Marathi	Avla, awla, avil, aouli	Baheda, gotimg, goting, hela, sagwan, vavara, vela	habra, hardi, hirada, hirda
Myanmar	Zi-byu	Thitsein	Mai-mak-na, Mai-man-nah, Mana, Myrobalan, Panga, Phan-kha, Thankaungh
Nepalese	Amla	barro	Harro, Jangalii harro, Thuulo harro
Oriya	Anlakuli	Baheda, Bhara	Harida.
Persian	Aamlah, Ameloh, Amuleh	baleela, balilah	halelaj, halelaj asfer, halelaj aswad, halelaj kabuli, halilah, halilahe-siyah, halilahe-zard
Portuguese	Mirabolano Emblica	mirabolano belérico	mirabolano quebúlico
Punjabi	Aula, amla	Bahera	Har, Halela, Hurh, Harrar
Sanskrit	Dhatri-phala, Amla,	Vibhita, Aksa, Aksaka,	amogha, amritha, amruta,

	Amalaki, Amalakan, Sripthalam, Vayastha, Amaraphalam, Akara, Adiphala, Amrito	Bibhitaki, Karshaphala, Bhootavasa, kalidruma, kaliyugalaya	balya, bhishagvara, balya, bhishagvara
<b>Tamil</b>	Nelli	Thanakkai, Tanri, tanrikkai, Tani	Kadukkay, aivi, aiyam,
<b>Telugu</b>	Usirikaya	Tannikkaya, Vibhitakami, Tani, taadi, bhoothavaasamu, bhutavasamu	alsikaayi, haimavati, nellakaraka, recaki, resaki, shringitiga, sringitiga, sryngitiga
<b>Thai</b>	ma-kham-pom, ma-khaam pom	haen; haen-khao; haen-ton; samo-hiphek	Samo thai
<b>Tibetan</b>	Skyu-ru-ra	ba ru ra, ba-ru-ra	a bar, a ru, a ru ra, a-ru-ra
<b>Urdu</b>	Anwala, Amlaj	bahera, baleela, balela, poast bahera, poast halila zard	Haejarad, bahera, haleela, halela
<b>Vietnamese</b>	chùm ruot, me rùng, chu me, me man	bang hoi; bang moc; nhut	Chieu lieu xanh

## CONCLUSION

Everywhere throughout the world, plant-inferred drugs are encompassingly used as a functional food for elemental social insurance. Exploration in conventional plants has appended a redundant assiduity owing to spontaneous untoward encroachment of the other therapeutic frameworks which may extend to grievous knottinesses. The salubrious gander in and fittingness has turned into a religion faith for the current genesis. So is the asinine swigging of subsidiary nutritional dosage forms to nurture and avow their physique. As a matter of fact, concurring to medical reference those supplements may be even turn out to be deadly forever. Rather on the off chance that they pick the natures items, they would profit tremendously as well as can slice cost to purchase those unpleasant pills to awesome degree.

Amla is an endowment of universe to human race. It is an essential constituent of the ayurvedic and unani scheme with astounding medicinal characteristics. Amla is a heavenly herb and one of the valuable blessings of nature to human race. In Sanskrit, Amla is unfeignedly delimited as an ambrosia fruit, fruit of paradise, the sustainer fruit, and also the fruit where the Goddess of Prosperity Resides. In Hindu religious folklore the tree is adored as the Earth Mother as its natural product is thought to be so nitrifying to the human race.

Terminalia Bellerica is broadly utilized in Ayurveda, Siddha and Chinese scheme of medication. In traditional Indian Ayurvedic practice of medicine, Beleric is known as

"Bibhitaki". In Sanskrit this tree is called as Vibhita and Vibhitaka. By virtue of its restorative properties, the tree bears the Sanskrit name of Anila-ghnaka or wind-killing.

*Terminalia chebula* is a regularly devoured herbaceous plant utilized in Indian traditional medication. Traditional doctors have utilized the herbaceous plant to treat numerous sicknesses and its properties admit for its gastroprotective effects. Haritaki is utilized as a instinctive cleansing agent of the stomach, working of liver and colon, digestive tonic, antidiabetic and enhancing the resistance of body.

The significant curative efficaciousness of Triphala cannot be underrated on intervention of different sicknesses. The officinal properties of Triphala are more probable for regaling legion of illnesses. It is said to be a substitute for mother's concern in old Tamil literatures. The compounding of the two surges of intervention will exploit unitedly for fundamental and overall welfare of the patient. It is efficacious in the intervention of general wellbeing with no contrary effects and assists in potency, prophylactic, handiness and ensuring across treatment thus can be striven for different therapeutic issues. Thus, it is a sanctifying medicine to the human race.

**ACKNOWLEDGEMENT:** The authors adjudge that they do not have any conflict of interest.

## REFERENCES

1. Ferrara N. Vascular endothelial growth factor. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 2009; 29(6): 789-91.
2. Christine Tara Peterson, Kate Denniston BS, Deepak Chopra. Therapeutic Uses of Triphala in Ayurvedic Medicine. *The Journal of Alternative and Complementary medicine*, 2017; 23(8): 607–614.
3. David Frawley, Vasant Lad. *The Yoga of Herbs- An Ayurvedic Guide to Herbal Medicine*. 2nd rev and enl. ed. Twin Lakes, WI: Lotus Press. P, 2001; 157-158.
4. "Emblica officinalis" Agro Forestry Tree Database. <http://www.worldagroforestry.org/SEA/Products/AFDbases/AF/asp/SpeciesInfo.asp?SpID=1764>.
5. Sushil Sharma, Madhu Gupta, Rekha Bhaduria. Phytochemical variations in commercially available Triphala powder: A Well known dietary supplement of Indian System of Medicine. *Research Journal of Medicinal plant*, 2014; 8 (5): 214–222.

6. “Terminalia chebula”, AgroForestry TreeDatabase. <http://www.worldagroforestry.org/SEA/Products/AFDbases/AF/asp/SpeciesInfo.asp?SpID=18071>.
7. David Frawley, Vasant Lad. The Yoga of Herbs- An Ayurvedic Guide to Herbal Medicine. 2nd rev and enl. ed. Twin Lakes, WI: Lotus Press. P, 2001; 164.
8. Manjeshwar Shrinath Baliga and Jason Jerome Dsouza. Amla (*Emblca officinalis Gaertn*), a wonder berry in the treatment and prevention of cancer. *European Journal of Cancer Prevention*, 2011; 20(3): 225–239.
9. “Terminalia Belerica” AgroForestry TreeDatabase. <http://www.worldagroforestry.org/SEA/Products/AFDbases/AF/asp/SpeciesInfo.asp?SpID=18070>
10. Mradu Gupta. Therapeutic uses of the polyherbal drug Triphala in geriatric diseases. *International Journal of Pharma and Bio Sciences*, 2010; 1(2): 1 -13.
11. Ratha KK & Joshi GC. Haritaki (*Chebulic myrobalan*) and its varieties. *AYU*, 2013; 34(3): 331–334. <http://doi.org/10.4103/0974-8520.123139>.
12. Bhushan Patwardhan, Gururaj Mutalik, Girish Tillu. In: Chapter 9 - Drug discovery & Ayurveda. *Integrative Approaches of Health, Biomedical Research, Ayuveda & Yoga*. Academic press, London & New York, 2015; 229-258.
13. Suman Sen, Sheuli Sen, Shruthi Sharma. Triphala: A Boon in Oral and Systemic Health. *International Journal of Oral and Maxillofacial Diseases*, 2016; 1(2): 24 -27.
14. Overholser CD. Longitudinal clinical studies with antimicrobial mouth rinses. *J Clin Periodontol*, 1988; 15: 517–519.
15. Prabhakar J, Senthil kumar M, Priya MS, Mahalakshmi K, Sehgal PK, Sukumaran VG. Evaluation of antimicrobial efficacy of herbal alternatives (Triphala and Green tea polyphenols), MTAD and 5% sodium hypochloride against *Enterococcus faecalis* biofilm formed on tooth substrate, An invitro study. *J Endod*, 2010; 36: 83- 86.
16. Tandon S, Gupta K, Rao S, Malagi KJ. Effect of triphala mouthwash on the caries status. *Int J Ayurveda Res*, 2010; 1(2): 93-99.
17. Jyotsna Srinagesh, Pushpanjali Krishnappa, Shivaraj N Somanna. Antibacterial efficacy of triphala against oral streptococci: An in vivo study. *Indian Journal of Dental Research*, 2012; 23(5).
18. Sheetal Mujoo, Alok Dubey, Abeer Almashraqi, Sameena Parveen. Triphala: Is it a Competent Guardian against Oral Pathogens- An In-Vitro Study. *Int. Biol. Biomed. J. Spring*, 2017; 3(2): 89-94.



19. Russell LH Jr, Mazzio E, et al. Differential cytotoxicity of triphala and its phenolic constituent gallic acid on human prostate cancer LN Cap and normal cells. *Anticancer Res*, 2011; 31(11): 3739-3745.
20. Biradar YS, Jagatap S, Khandelwal KR, Singhanian SS. Exploring of Antibacterial activity of Triphala Mashi- an Ayurvedic Formulation, evid Based complement, *Alternat Medicine*, 2008; 5: 107-113.
21. Renuka Munshi, Supriya Bhalerao, Pravin Rathi, VV. Kuber, SU. Nipanikar, KP. Kadhbhane. An open-label, prospective clinical study to evaluate the efficacy and safety of TLPL/AY/01/2008 in the management of functional constipation. *Journal of Ayurveda & Integrative Medicine*, 2011; 2(3): 144-152.
22. Pulok K. Mukherjee, Sujay Rai, Sauvik Bhattacharyya, Pratip Kumar Debnath, Tuhin Kanti Biswas, Utpalendu Jana, Srikanta Pandit, Bishnu Pada Saha, Pradip K. Paul. Clinical Study of 'Triphala' – A Well Known Phytomedicine from India. *Iranian Journal of Pharmacology & Therapeutics*, 2006; 5(1): 51-54.
23. Seyed Hamid Kamali, Ali Reza Khalaj, et al. Efficacy of 'Itrifal Saghir', a combination of three medicinal plants in the treatment of obesity; A randomized controlled trial. *DARU Journal of Pharmaceutical sciences*, 2012; 20(1): 33.
24. Shashikala A Patil, Prasanna V.Savanur, Basavaraj Shiramagond, Shailaja JR. A Clinical Study of Efficacy of Triphala Churna with Madhu in Sthoulya. *Paryeshana International Journal of Ayurvedic research*, 2017; 1(4): 29-35.
25. Tanaka M1, Kishimoto Y et al. Terminalia bellirica Extract Inhibits Low-Density Lipoprotein Oxidation and Macrophage Inflammatory Response in Vitro. *Antioxidants (Basel)*, 2014; 5(2): 26.
26. Sarvanan S, Srikumar R, Manikandan S, Parthasarathy NJ, Devi RS, Hypolipidemic effect of Triphala in experimentally induced hypercholesteremic rats. *Yakugaku Zasshi*, 2007; 27: 385-388.
27. Vaishali V. Kuchewar. Efficacy and Safety Study of Triphala in Patients of Dyslipidemia: A Pilot Proect. *International Journal of research in Ayurveda & Pharmacy*, 2017; 8(3): 117-180.
28. Chandra Shekhar, KRC Reddy, Komal Bansal. Triphala Described as an Antidiabetic Agent in Ayurveda Treatises: A Review. *Asian Journal of Pharmaceutics*, 2017; 11(4): S685–S689.
29. Sabu MC, Kuttan R. Anti-diabetic activity of medicinal plants and its relationship with their antioxidant activity. *Journal of ethnopharmacology*, 2002; 8: 155-160.

30. Ingole Rajesh Kundlik rao. Antidiabetic drugs in Ayurveda. *International Research Journal of Pharmacy*, 2013; 4 (6): 21-24.
31. Kalapi Patel, S. N. Gupta, and Namrata Shah. Effect of Ayurvedic management in 130 patients of diabetic nephropathy. *AYU*, 2011; 32(1): 55–58.
32. Suresh Kumar Gupta, V. Kalaiselvan, Sushma Srivastava, Shyam S. Agrawal, Rohit Saxena<sup>1</sup>. Evaluation of anticataract potential of Triphala in selenite-induced cataract: In vitro and in vivo studies. *Journal of Ayurveda & Integrative Medicine*, 2010; 1(4): 280–286.
33. Vd. Bhatane Sampat G. Effect of Triphala Ghrita Netratarpana in Diabetic Retinopathy. *International Ayurvedic Medical Journal*, 2016; 4(8): 2519–2521.
34. Ayanaraj P, Mamatha KV, Sujathamma K. A Clinical Study on the Efficacy of Triphaladi Pratisarana in Krumigranthi (Blepharitis). *International Journal of Ayurveda and Pharma Research*, 2015; 3(10): 46 -51.
35. Arora S, Kaur K, Kaur S. Indian medicinal plants as a reservoir of protective phytochemicals. *Teratog Carcinog Mutagen*, 2003; 1: 295-300.
36. MB Nariya, VJ Shukla, B Ravishankar and SM Jain. Comparison of Gastroprotective Effects of Triphala Formulations on Stress-induced Ulcer in Rats. *Indian Journal of Pharmaceutical Sciences*, 2011; 73(6): 682-687.
37. Himanshu Deswal, Yogender Singh, H.S.Grover, Amit Bhardwaj, Shalu Verma. Curative Effect of Triphala in Medical and Dental Sciences: A Scientific Review. *Innovare Journal of Health Sciences*, 2016; 4(2): 1-4.
38. R Jain, R Pandey, RN Mahant and DS Rathore. A Review on Medicinal Importance of *Emblica Officinalis*. *International Journal of Pharmaceutical Sciences and Research*, 2015; 6(1): 72-84.
39. Anindita Deb, Sikha Barua, Dr. Biswajit Das. Pharmacological activities of Baheda (*Terminalia bellerica*): A review. *Journal of Pharmacognosy and Phytochemistry*, 2016; 5(1): 194-197.
40. Alagar Raja M, Shailaja V, David Banji, KNV Rao, Selvakumar D. Evaluation of standardisation parameters, pharmacognostic study, preliminary phytochemical screening and in vitro antidiabetic activity of *Emblica officinalis* fruits as per WHO guidelines. *Journal of Pharmacognosy and Phytochemistry*, 2014; 3(4): 21-28.